

NM2025W3930066

Ord. Int. N°

Or/sn Vend.

Scomparto:

SN QUADRO:

Quantita:

Tipo Quadro:

102322611

120003735/30

1

30

1/1

SR71LALHG6W6A005

ITALIA

Additional Operating Handle

Auxiliary Contact

BLOCCO A CHIAVE K2

BLOCCO A CHIAVE K3

BLOCCO A CHIAVE K5

CLASSIFICAZIONE ARCO INTERNO

Conditions Installation manual

CT Type

Current Trasformer

EvoPact CB

install. and commiss. manual

Kit Dongle for NFC

LOGICA CHIAVI

LV VOLTAGE EQUIPMENT

Manometer

Operating and Mainten. manual

Operating Mechanism Type

Packing list

Protection Relay Easergy

Rated Current Busbar

Rated Frequency

Rated Lightning Impulse Withstand Voltage

Rated Operating Voltage

Rated Peak Current

Rated Power Frequency Withstand Voltage

Rated Short-Circuit Duration

Rated Short-Time Withstand Current

Rated Voltage

Switchboard Set

Thermal Sensors

TIPOLOGIA CELLA

TIPOLOGIA MERCATO

VDIS

VDIS008STD

BBV19720

CDV-AUXSW-2

CDV-KEYLOCK-ESC

CDV-KEYLOCK-ESO

CDV-POS-IND-ROW

CDVT-KEYLOCK-LSC

CDVT-KEYLOCK-LSO1N

EMS59440

GDE26853

GDE67735

GDE68345

GDE69189

GDE69859

GDE71688

GDE77024

GEX18982

HUA14578

HUA14579

HUA22845

LEEMCSH160EAS

SM624HRESISTOR1

SR7-LOCKPAN-STD

ST421-663-162

TME02240

V12215040

Toroide omopolare:

CDV-LEVER

7: 5 NO/NC-SW + 2 NO/NC-ESW

K2 keylock earthing switch opened

K3 keylock n°1 line switch open CDT

K5 keylock LBS close CDT

BASIC AFL

NNZ15863

LPCT

CSH 160 EAS

Tipo di interruttore:

NNZ15870

REL52867

Special

BRU95871 (TME84565-BRU88077)

NO

NNZ15869

CDTS

NAT21433

P3 Standard

630 A

50 Hz

125 kV

20 kV

40 kA

50 kV

1 s

16 kA

24 kV

SR7SETSWITCHBOARD

SI

DMVLA

ITALIA

SI

VDIS 47.2 MUA

WIRING IMB-QMB-DM1 V2

CDV Aux SW-Wiring and accessories Lvl 2

K1 Keylock Earth. Switch Closed CDT-S-1-2

K2 KEYLOCK EARTHING SWITCH OPEN CDT-S-1-2

Position indicator - ROW

K5 Keylock Line Switch Closed CDT

K3 KEYLOCK N1 DISCONNECTOR OPEN CDT-S

3 SENSORI TERMICI TH110

VPIS SHUTTER COVER HORIZONTAL

COLLECTOR EXTENSION IM 14KA RAME.

FRONT COLLECTOR 14KA RAME

CONNECTOR FOR EARTH CIRCUIT 12KA RAME

BACK COLLECTOR DMVL

VERTICAL BACK COLLECTOR 14KA RAME

VERTICAL FRONT COLLECTOR 14KA RAME

LBSX D CDTS 630A 24kV 16kA 1s

Screw MSC HXG M8 x 30mm STL

Screw MSC HXG M8 x 35mm STL

Screw MSC HXL SK M8 x 25mm STL

CSH160 TOROIDE 160MM Easergy

RESISTENZA ANTICONDENSA 50W

INTERLOCK FRONT PANEL MODULAR

RETAINING WASHER 5X0.7

Screw TFSC TP Hexalobular SKT X PLUS 5 x

Nut - M8 STL 8 ZN8CR3

LEEMCSH160EAS CSH160 TOROIDE 160MM Easergy (Montare in cella)

GEX18982

× 1

PACKED SWITCH S 630-24-20 CDTs


Made in China

BE-2025-W25-6-LXA-0004

CIP code: 246563

Logistics Reference: GEX18982

Disconnecter CDTs



SCHNEIDER(BEIJING) MEDIUM VOLTAGE CO., LTD.
NO.2,Liang Shui He 2nd. Street,
BEIJING.BDA CHINA
se.com/contact

Schneider
Electric

POSTAZIONE	SESA OPERATORE	DATA
SMR7	667785	25/09/2025
804	011155	26/9/25
805	011155	26/9/25
806		
807		
808		
809		
810		